

G1 N,NH,NH₂,Hy,OH

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 16:26:11 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 355 TO ITERATE

100.0% PROCESSED 355 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 5970 TO 8230
PROJECTED ANSWERS: 2 TO 124

L2 2 SEA SSS SAM L1

=> s l1 sss full

FULL SEARCH INITIATED 16:26:21 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 6925 TO ITERATE

100.0% PROCESSED 6925 ITERATIONS 38 ANSWERS
SEARCH TIME: 00.00.02

L3 38 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	140.28	140.49

FILE 'CAPLUS' ENTERED AT 16:26:30 ON 24 APR 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

Habte

<04/24/2002

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 24 Apr 2002 VOL 136 ISS 17
FILE LAST UPDATED: 23 Apr 2002 (20020423/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

=> s l3

L4 10 L3

=> d ibib abs hitstr tot

L4 ANSWER 1 OF 10 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2001:628707 CAPLUS

DOCUMENT NUMBER: 135:195572

TITLE: Method for preparation of indole-type compounds

INVENTOR(S): Henkelmann, Jochem; Arndt, Jonderko

PATENT ASSIGNEE(S): Basf A.-G., Germany

SOURCE: Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001233855	A2	20010828	JP 2001-49221	20010223
DE 10009000	A1	20010830	DE 2000-10009000	20000225
US 2001037031	A1	20011101	US 2001-782310	20010214
EP 1127874	A2	20010829	EP 2001-103687	20010223

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO


PRIORITY APPLN. INFO.: DE 2000-10009000 A 20000225

OTHER SOURCE(S): CASREACT 135:195572; MARPAT 135:195572

GI



I



II

AB The title compds. [I; A = hydrocarbon group which forms, together with the

polycyclic carbon atoms to which they are bonded, (un)substituted mono- or

arom. group optionally possessing .gtoreq.1 heteroatoms consisting of N, O, and S; R1, R2 = H, linear or branched satd. aliph. C1-20 hydrocarbon group, linear or branched alkyl unsatd. C2-20 hydrocarbon group, optionally alkyl-substituted (un)satd. alicyclic C3-20 hydrocarbon group, or C5-20 arom. hydrocarbon group alkyl, each of which is optionally substituted and possesses .gtoreq.1 heteroatoms consisting of halo, N, P, O, S, Sn, and B in the mol. skeleton] are prepd. by cyclization of alkynylaniline or .alpha.-amino-.beta.-alkynylheterocycles (II; R1, R2 = same as above; R1, R2, or a is optionally bonded to an org. or inorg. carrier) using a Na, K, Rb, or Cs compd. in a polar aprotic solvent.

This

process gives substituted indoles by a simple method in high yields. Thus, a soln. of 97 mg 2-phenylethylnylaniline in N-methylpyrrolidone was added to 1.05 mmol potassium tert-butoxide in 4 mL N-methylpyrrolidone

and

vigorously stirred at 25.degree. for 4 h to give 79% 2-phenylindole. Similarly prepd. were pyrrolopyridine, pyrrolopyrimidine, pyrroloquinoline, etc.


IT 357219-39-7DP, MBHA resin-bound

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(prepn. of indole-type compds. by cyclization of alkynylanilines or .alpha.-amino-.beta.-alkynylheterocycles in presence of alkali metal compd. in polar aprotic solvent)

RN 357219-39-7 CAPLUS

CN Benzamide, 4-(1H-indol-2-yl)- (9CI) (CA INDEX NAME)




IT 357219-39-7P

RL: SPN (Synthetic preparation); PREP (Preparation)

(prepn. of indole-type compds. by cyclization of alkynylanilines or .alpha.-amino-.beta.-alkynylheterocycles in presence of alkali metal

compd. in polar aprotic solvent)
 RN 357219-39-7 CAPLUS
 CN Benzamide, 4-(1H-indol-2-yl)- (9CI) (CA INDEX NAME)



L4 ANSWER 2 OF 10 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2001:516943 CAPLUS

DOCUMENT NUMBER: 135:298171

TITLE: Novel bone antiresorptive agents that selectively inhibit the osteoclast V-H+-ATPase

AUTHOR(S): Farina, Carlo; Gagliardi, Stefania; Nadler, Guy; Morvan, Marcel; Parini, Carlo; Belfiore, Pietro; Visentin, Luciano; Gowen, Maxine

CORPORATE SOURCE: SmithKline Beecham SpA, Milan, 20021, Italy

SOURCE: Farmaco (2001), 56(1-2), 113-116

CODEN: FRMCE8; ISSN: 0014-827X

PUBLISHER: Elsevier Science S.A.

DOCUMENT TYPE: Journal

LANGUAGE: English

AB The vacuolar proton pump (V-ATPase) located on the plasma membrane of the osteoclast is a potential mol. target for the discovery of novel bone antiresorptive agents useful for the treatment of osteoporosis. In order to design novel compds. able to selectively inhibit the osteoclast V-ATPase we firstly identified the minimal structural requirements of bafilomycin A1, a macrolide antibiotic which potently inhibits all V-ATPases. This information allowed the design of 2-(indole)pentadienamide derivs. whose optimization led to a novel class of potent inhibitors that demonstrated a high degree of selectivity for the osteoclast V-ATPase. The most interesting deriv., SB-242784, was able to inhibit bone resorption by human osteoclasts in vitro and to completely prevent ovariectomy-induced bone loss in rats when administered orally at 10 mg kg⁻¹ day⁻¹. Structure activity relationships of this class of compds. were investigated further by replacing the 2,4-pentadienoyl chain with suitable spacers able to maintain the correct orientation and distance between the indole ring and the amide moiety.

IT 229480-96-0 229480-97-1 229480-98-2

RL: BAC (Biological activity or effector, except adverse); BSU

(Biological

study, unclassified); THU (Therapeutic use); BIOL (Biological study);

USES


(Uses)

(structure activity relationships of bone antiresorptive agents that inhibit osteoclast vacuolar H+-ATPase)

RN 229480-96-0 CAPLUS


CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-N-(1,2,2,6,6-pentamethyl-4-

piperidinyl)- (9CI) (CA INDEX NAME)




RN 229480-97-1 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)



RN 229480-98-2 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-2-methoxy-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)

REFERENCE COUNT:
THIS

15

THERE ARE 15 CITED REFERENCES AVAILABLE FOR

FORMAT

RECORD. ALL CITATIONS AVAILABLE IN THE RE

L4 ANSWER 3 OF 10 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2001:31492 CAPLUS

DOCUMENT NUMBER: 134:86164

TITLE: Preparation of indole derivatives for the treatment
of



Habte

<04/24/2002

Own work

osteoporosis
 INVENTOR(S): Farina, Carlo; Gagliardi, Stefania; Novella, Pietro
 A.
 T.
 PATENT ASSIGNEE(S): SmithKline Beecham S.p.A., Italy
 SOURCE: PCT Int. Appl., 48 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001002388	A1	20010111	WO 2000-EP5672	20000616
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
PRIORITY APPLN. INFO.:			GB 1999-14371	A 19990618
OTHER SOURCE(S):			MARPAT 134:86164	
GI				



AB The title compds. [I; R1, R2 = alkoxy, halo; R3, R4 = H, alkoxy, arylalkoxy, etc.; R5 = NR6R7 (wherein R6, R7 = H, (un)substituted alkyl, heterocyclyl)] which are selective for mammalian osteoclasts, acting to

selectively inhibit their bone resorbing activity, and therefore are considered to be particularly useful for the treatment and/or prophylaxis of diseases assocd. with loss of bone mass, such as osteoporosis and related osteopenic diseases, Paget's disease, hyperparathyroidism and related diseases, were prepd. E.g., a multi-step synthesis of the indole II was given. The compds. I are able to inhibit bafilomycin-sensitive ATPase of chicken osteoclast in a range from 50 nM to 2 .mu.M and of

human

osteoclast in a range from 30 nM to 5 .mu.M. The compds. I are also considered to possess antitumor activity, antiviral activity (for example against Semliki Forest, Vesicular Stomatitis, Newcastle Disease,

Influenza

A and B, HIV viruses), antiulcer activity (for example the compds. may be useful for the treatment of chronic gastritis and peptic ulcer induced by Helicobacter pylori) immunosuppressant activity, antilipidemic activity, antiatherosclerotic activity and to be useful for the treatment of AIDS and Alzheimer's disease. Furthermore, the compds. I are also considered useful in inhibiting angiogenesis i.e. the formation of new blood vessels which is obsd. in various types of pathol. conditions (angiogenic diseases) such as rheumatoid arthritis, diabetic retinopathy, psoriasis and solid tumors.

IT 318262-43-0P 318262-44-1P

RL: BAC (Biological activity or effector, except adverse); BSU


(Biological

study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(prepn. of indole derivs. for the treatment of osteoporosis)

RN 318262-43-0 CAPLUS


CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-(phenylmethoxy)-N-(2,2,6,6-tetramethyl-4-piperidiny)- (9CI) (CA INDEX NAME)



RN 318262-44-1 CAPLUS

CN Benzamide,

4-(5,6-dichloro-1H-indol-2-yl)-3-hydroxy-N-(2,2,6,6-tetramethyl-4-piperidiny)- (9CI) (CA INDEX NAME)




IT 318262-42-9P 318262-45-2P 318262-46-3P
 318262-47-4P 318262-48-5P 318262-49-6P
 318262-50-9P 318262-51-0P 318262-52-1P
 318262-53-2P 318262-54-3P 318262-55-4P
 318262-56-5P 318262-57-6P 318262-58-7P
 318262-59-8P 318262-60-1P 318262-61-2P
 318262-62-3P

RL: BAC (Biological activity or effector, except adverse); BSU
 (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);
 BIOL (Biological study); PREP (Preparation); USES (Uses)
 (prepn. of indole derivs. for the treatment of osteoporosis)


RN 318262-42-9 CAPLUS


CN Benzamide,
 4-(5,6-dichloro-1H-indol-2-yl)-3-ethoxy-N-(2,2,6,6-tetramethyl-
 4-piperidiny)- (9CI) (CA INDEX NAME)



RN 318262-45-2 CAPLUS


CN Benzamide,
 4-(5,6-dichloro-1H-indol-2-yl)-3-propoxy-N-(2,2,6,6-tetramethyl-
 4-piperidiny)- (9CI) (CA INDEX NAME)






RN 318262-46-3 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy-N-[3-[4-(3-methoxyphenyl)-1-piperazinyl]propyl]- (9CI) (CA INDEX NAME)




RN 318262-47-4 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy-N-[3-[4-(2-pyrimidinyl)-1-piperazinyl]propyl]- (9CI) (CA INDEX NAME)




RN 318262-48-5 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy-N-(2,2,6,6-tetramethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)




RN 318262-49-6 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-ethoxy-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)




RN 318262-50-9 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-ethoxy-N-3-pyridinyl- (9CI) (CA INDEX NAME)




RN 318262-51-0 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-ethoxy-N-(6-methoxy-3-pyridinyl)- (9CI) (CA INDEX NAME)




RN 318262-52-1 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-ethoxy-N-[1-(phenylmethyl)-4-piperidinyl]- (9CI) (CA INDEX NAME)




RN 318262-53-2 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-2,5-dimethoxy-N-(2,2,6,6-tetramethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)




RN 318262-54-3 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-2,5-dimethoxy-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)




RN 318262-55-4 CAPLUS

CN Benzamide, 4-(6-chloro-5-methoxy-1H-indol-2-yl)-3-ethoxy-N-(2,2,6,6-tetramethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)




RN 318262-56-5 CAPLUS

CN 1-Piperidinepentanoic acid, 4-[[4-(5,6-dichloro-1H-indol-2-yl)-3-methoxybenzoyl]amino]-, ethyl ester (9CI) (CA INDEX NAME)




RN 318262-57-6 CAPLUS

CN 1-Piperidinepentanoic acid, 4-[[4-(5,6-dichloro-1H-indol-2-yl)-3-methoxybenzoyl]amino]- (9CI) (CA INDEX NAME)




RN 318262-58-7 CAPLUS

CN 1-Piperidinepentanoic acid, 4-[[3-(carboxymethoxy)-4-(5,6-dichloro-1H-indol-2-yl)benzoyl]amino]- (9CI) (CA INDEX NAME)




RN 318262-59-8 CAPLUS

CN 1-Piperidinepentanoic acid, 4-[[4-(5,6-dichloro-1H-indol-2-yl)-3-(2-hydroxyethoxy)benzoyl]amino]-(9CI) (CA INDEX NAME)




RN 318262-60-1 CAPLUS

CN 1-Piperidinepentanoic acid, 4-[[3-(3-aminopropoxy)-4-(5,6-dichloro-1H-indol-2-yl)benzoyl]amino]-(9CI) (CA INDEX NAME)




RN 318262-61-2 CAPLUS

CN 1-Piperidinepentanoic acid, 4-[[4-(5,6-dichloro-1H-indol-2-yl)-3-[2-(dimethylamino)ethoxy]benzoyl]amino]-(9CI) (CA INDEX NAME)



RN 318262-62-3 CAPLUS

CN 1-Piperidinepentanoic acid, 4-[[4-(5,6-dichloro-1H-indol-2-yl)-3-(2,3-dihydroxypropoxy)benzoyl]amino]- (9CI) (CA INDEX NAME)




IT 229481-19-0P 318262-63-4P 318262-65-6P
318262-70-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of indole derivs. for the treatment of osteoporosis)


RN 229481-19-0 CAPLUS

CN Benzoic acid, 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy- (9CI) (CA INDEX NAME)




RN 318262-63-4 CAPLUS

CN Benzoic acid, 4-(5,6-dichloro-1H-indol-2-yl)-3-ethoxy- (9CI) (CA INDEX NAME)




RN 318262-65-6 CAPLUS

CN Benzoic acid, 4-(5,6-dichloro-1H-indol-2-yl)-2,5-dimethoxy- (9CI) (CA INDEX NAME)



RN 318262-70-3 CAPLUS

CN Benzoic acid, 4-(5,6-dichloro-1H-indol-2-yl)-3-(phenylmethoxy)- (9CI)
(CA INDEX NAME)

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE
FORMAT

L4 ANSWER 4 OF 10 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 1999:460415 CAPLUS

DOCUMENT NUMBER: 131:87816

TITLE: Preparation of indole derivatives useful a.o. for the
treatment of osteoporosisINVENTOR(S): Gagliardi, Stefania; Nadler, Guy Marguerite Marie
Gerard; Novella, PietroPATENT ASSIGNEE(S): Smithkline Beecham Laboratoires Pharmaceutiques, Fr.;
Smithkline Beecham S.P.A.SOURCE: PCT Int. Appl., 43 pp.
CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9933822	A1	19990708	WO 1998-EP8561	19981217
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2315723	AA	19990708	CA 1998-2315723	19981217
AU 9927154	A1	19990719	AU 1999-27154	19981217
BR 9814403	A	20001010	BR 1998-14403	19981217
EP 1042316	A1	20001011	EP 1998-966951	19981217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI				
ZA 9811758	A	20000622	ZA 1998-11758	19981222
NO 2000003315	A	20000623	NO 2000-3315	20000623
PRIORITY APPLN. INFO.:			EP 1997-403154	A 19971224
			WO 1998-EP8561	W 19981217
OTHER SOURCE(S): MARPAT 131:87816				
GI	For diagram(s), see printed CA Issue.			
AB	The title compds. I [A represents an optionally substituted aryl group or an optionally substituted heterocyclyl group; Ra = CONRsRt wherein Rs and Rt each independently represents hydrogen, alkyl, substituted alkyl, optionally substituted alkenyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heterocyclyl, etc.; R1, R2			
=	H, hydroxy, amino, alkoxy, optionally substituted aryloxy, optionally substituted benzyloxy, etc.; R3 = alkanoyl, alkyl, aminoalkyl, hydroxyalkyl, carboxyalkyl, carbalkoxyalkyl, carbamoyl, alkylsulfonyl, arylsulfonyl], useful for the treatment of osteoporosis, were prepd. E.g., 4-(5,6-dichloro-1H-indol-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)benzenamine was prepd. I were able to inhibit bafilomycin-sensitive ATPase of chicken osteoclast and of human osteoclast.			
IT	229480-96-0P 229480-97-1P 229480-98-2P 229481-01-0P 229481-03-2P 229481-04-3P 229481-07-6P			
	RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (prepn. of indoles useful for the treatment of osteoporosis)			
RN	229480-96-0 CAPLUS			
CN	Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-N-(1,2,2,6,6-pentamethyl-4-piperidiny)- (9CI) (CA INDEX NAME)			




RN 229480-97-1 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)




RN 229480-98-2 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-2-methoxy-N-(1,2,2,6,6-pentamethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)



RN 229481-01-0 CAPLUS


CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-N-[3-(dimethylamino)propyl]-3-methoxy- (9CI) (CA INDEX NAME)



RN 229481-03-2 CAPLUS


CN Benzamide,

N-[3-[4-(3-chlorophenyl)-1-piperazinyl]propyl]-4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy- (9CI) (CA INDEX NAME)




RN 229481-04-3 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-N-[3-[4-(3-hydroxyphenyl)-1-piperazinyl]propyl]-3-methoxy- (9CI) (CA INDEX NAME)



RN 229481-07-6 CAPLUS

CN Benzamide, 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy-N-methyl-N-(2,2,6,6-tetramethyl-4-piperidinyl)- (9CI) (CA INDEX NAME)




IT 229481-08-7

RL: RCT (Reactant); RACT (Reactant or reagent)
(prepn. of indoles useful for the treatment of osteoporosis)

RN 229481-08-7 CAPLUS

CN Benzoic acid, 4-(5,6-dichloro-1H-indol-2-yl)-2-methoxy- (9CI) (CA INDEX NAME)




IT 229481-12-3P 229481-19-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of indoles useful for the treatment of osteoporosis)


RN 229481-12-3 CAPLUS

CN Benzoic acid, 4-(5,6-dichloro-1H-indol-2-yl)- (9CI) (CA INDEX NAME)




RN 229481-19-0 CAPLUS

CN Benzoic acid, 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy- (9CI) (CA INDEX NAME)




REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
FORMAT

L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 1994:557471 CAPLUS
DOCUMENT NUMBER: 121:157471
TITLE: Indol-2-yltributylstannane: A Versatile Reagent for 2-Substituted Indoles
AUTHOR(S): Labadie, Sharada S.; Teng, Edmond
CORPORATE SOURCE: Syntex Discovery Research, Palo Alto, CA, 94304, USA
SOURCE: J. Org. Chem. (1994), 59(15), 4250-4
CODEN: JOCEAH; ISSN: 0022-3263
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 121:157471
GI




AB A general method for 2-substituted indoles via the palladium-catalyzed coupling of indol-2-ylstannanes is described. (N-Methylindol-2-yl)tributylstannane (I) reacts with a variety of electrophiles under very mild conditions. [N-(tert-Butoxycarbonyl)indol-2-yl]tributylstannane is much less reactive in the coupling reactions and reacts only with certain activated electrophiles. N-[[Trimethylsilyl]ethoxy]methylindol-2-yltributylstannane behaves similarly to I and the removal of the [(trimethylsilyl)ethoxy]methyl group can be achieved with tetra-n-butylammonium fluoride in DMF in the presence of ethylenediamine.
IT **58995-75-8P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)
RN 58995-75-8 CAPLUS
CN Benzoic acid, 4-(1H-indol-2-yl)- (9CI) (CA INDEX NAME)



L4 ANSWER 6 OF 10 CAPLUS COPYRIGHT 2002 ACS
 ACCESSION NUMBER: 1982:81337 CAPLUS
 DOCUMENT NUMBER: 96:81337
 TITLE: Indole fungicides
 PATENT ASSIGNEE(S): Kuraray Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 56135404	A2	19811022	JP 1980-39938	19800327

GI



AB Indoles I (R1 = quaternary alkyl or II where X = halo or alkyl; R2 = H or alkyl) are fungicides. Thus, 1000 ppm I (R1 = C(Me)3; R2 = Me) [1805-65-8] controlled *Sphaerotheca fuliginea* on cucumber. Syntheses of


I are described.

IT **80746-62-9P**

RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (prepn. and fungicidal activity of)

RN 80746-62-9 CAPLUS


CN Benzoic acid, 4-(1H-indol-2-yl)-2-methyl- (9CI) (CA INDEX NAME)




L4 ANSWER 7 OF 10 CAPLUS COPYRIGHT 2002 ACS
 ACCESSION NUMBER: 1981:134148 CAPLUS
 DOCUMENT NUMBER: 94:134148
 TITLE: Indole derivatives as fungicides
 PATENT ASSIGNEE(S): Kuraray Co., Ltd., Japan; Institute of Physical and
 Chemical Research
 SOURCE: Jpn. Kokai Tokkyo Koho, 16 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 55151505	A2	19801126	JP 1979-59473	19790514

GI



AB Indoles I (R1 = H, alkyl, benzyl, halobenzyl, benzoyl, or alkylcarbonyl;
 R2 = C6H4Xn where X = H, halo, alkyl, alkoxy, OH, carboxyl, NO2, NH2, CN,
 or Ph and n = 1 or 2, naphthyl, etc.; R3 = H, halo, Ph, NO2, CN, alkyl-
 or benzyl-substituted NH2, alkoxy, formyl, etc.; R4 and R5 = H, halo, alkyl,
 alkoxy, NO2, NH2, etc.) are fungicides. Thus, 100 ppm I (R1, R3, R4, and
 R5 = H, R2 = C6H4Xn where X = H and n = 1) [948-65-2] controlled
 Sphaerotheca fuliginea on cucumber. Synthesis is given.
 IT **58995-75-8P**
 RL: AGR (Agricultural use); BAC (Biological activity or effector, except
 adverse); SPN (Synthetic preparation); BIOL (Biological study); PREP
 (Preparation); USES (Uses)
 (prepn. and fungicidal activity of)
 RN 58995-75-8 CAPLUS
 CN Benzoic acid, 4-(1H-indol-2-yl)- (9CI) (CA INDEX NAME)



L4 ANSWER 8 OF 10 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 1979:35144 CAPLUS

DOCUMENT NUMBER: 90:35144

TITLE: Fluorescent complexes of DNA with DAPI
(4',6-diamidine-2-phenyl indole dihydrochloride) or
DCI (4',6-dicarboxyamide-2-phenyl indole)

AUTHOR(S): Kapuscinski, Jan; Skoczylas, Bogna

CORPORATE SOURCE: M. Nencki Inst. Exp. Biol., Pol. Acad. Sci., Warsaw,
Pol.

SOURCE: Nucleic Acids Res. (1978), 5(10), 3775-99

CODEN: NARHAD; ISSN: 0305-1048

DOCUMENT TYPE: Journal

LANGUAGE: English

AB DCI and DAPI were reacted with double-helical DNA to det. if the dye-DNA complex was formed by intercalation. The influence of pH, viscosity, and different concns. of Na dodecyl sulfate or NaCl on the optical and fluorescent properties and the changes in thermal transition of both dye complexes with DNA confirmed the affinity of the dyes to the double helix as well as their stabilizing influence on the secondary structure of DNA. Binding studies showed that the dyes are strongly bound to DNA, although the no. of binding sites is small. The fluorescent properties of DAPI

and


DCI complexes with DNA are consistent with intercalating binding mechanisms of these dyes. The eventual ionic or H bonds of dyes outside the DNA helix did not change their fluorescent properties on binding to DNA.

IT **65426-87-1DP**, DNA complex

RL: MFM (Metabolic formation); BIOL (Biological study); FORM (Formation, nonpreparative); PREP (Preparation)
(formation of, intercalation in)

RN 65426-87-1 CAPLUS

CN 1H-Indole-6-carboxamide, 2-[4-(aminocarbonyl)phenyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 9 OF 10 CAPLUS COPYRIGHT 2002 ACS

Habte

<04/24/2002

ACCESSION NUMBER: 1978:46557 CAPLUS
DOCUMENT NUMBER: 88:46557
TITLE: Effect of specific substrate-bound inhibitors on restriction of the circular Col E1 DNA by Eco RI endonuclease
AUTHOR(S): Stepien, Elzbieta; Dann, O.; Fikus, Magdalena; Wierzchowski, K. L.
CORPORATE SOURCE: Inst. Biochem. Biophys., Pol. Acad. Sci., Warsaw, Pol.
SOURCE: Stud. Biophys. (1978), 67, 135-6
CODEN: STBIBN

DOCUMENT TYPE: Journal
LANGUAGE: English


AB The effects of 4,6'-diamidine-2-phenylindole (I) of 6 of its derivs. on DNA restriction and stabilization were studied. Restriction of Col E1 supercoiled DNA by endonuclease EcoRI was stimulated at low I: DNA ratios (.1 to req. 0.5), whereas I becomes an efficient inhibitor above this limit. Poly[d(A-T)] is stabilized by I and its derivs. with 2 distinct melting transitions, suggesting .gtoreq. 2 different types of interaction. There appears to be no direct correlation between the effects of this class of dyes on DNA stabilization and restriction.

IT 65426-87-1

RL: BIOL (Biological study)
(DNA restriction and stabilization in presence of)

RN 65426-87-1 CAPLUS

CN 1H-Indole-6-carboxamide, 2-[4-(aminocarbonyl)phenyl]- (9CI) (CA INDEX NAME)




L4 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 1976:164604 CAPLUS
DOCUMENT NUMBER: 84:164604
TITLE: 2-Phenylindole derivatives
INVENTOR(S): Pigerol, Charles; De Cointet de Fillain, Paul; Nanthavong, Souli; Le Blay, Jacques
PATENT ASSIGNEE(S): Labaz, Fr.
SOURCE: Ger. Offen., 38 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

DE 2526317	A1	19760108	DE 1975-2526317	19750612
FR 2275461	A1	19760116	FR 1974-21042	19740618
FR 2275461	B1	19790209		
GB 1487659	A	19771005	GB 1975-22747	19750523
DK 7502604	A	19751219	DK 1975-2604	19750610
DK 144655	B	19820503		
DK 144655	C	19821011		
RO 72873	P	19820412	RO 1975-82484	19750610
RO 71963	P	19821026	RO 1975-91560	19750610
CS 216151	B2	19821029	CS 1975-4143	19750612
NL 7507135	A	19751222	NL 1975-7135	19750616
BE 830310	A1	19751217	BE 1975-157387	19750617
NO 7502155	A	19751219	NO 1975-2155	19750617
NO 145507	B	19811228		
NO 145507	C	19820407		
SE 7506951	A	19751219	SE 1975-6951	19750617
SE 408707	C	19791011		
SE 408707	B	19790702		
CA 1044242	A1	19781212	CA 1975-229563	19750617
JP 51016659	A2	19760210	JP 1975-74965	19750618
ES 438684	A1	19770301	ES 1975-438684	19750618
AT 7504677	A	19770715	AT 1975-4677	19750618
CH 619933	A	19801031	CH 1975-7933	19750618
AT 352113	B	19790910	AT 1977-1696	19770314
AT 7701696	A	19790215		
CH 618683	A	19800815	CH 1978-6686	19780620
PRIORITY APPLN. INFO.:			FR 1974-21042	19740618
			CH 1975-7933	19750618
			AT 1975-4677	19770314
GI				




AB 2-Phenylindoles (I, R = dodecyloxy, OH, MeS, SH, CN, CONH₂, CO₂H, Ph, AcNH), useful as stabilizers for vinyl chloride polymers, were obtained in 26-70% yields by treatment of an acetophenone deriv. with PhNHNH₂ to give a phenylhydrazone which was then cyclized by acid. Addnl. obtained were 10-76% I [R = OCH₂Et(CH₂)₄Me, OCH₂CO₂Et, Me₂CHO, OCH₂CO₂H, OCHMeCH₂CO₂Et, PhCH₂O, AcO, BzO, docosanoyloxy, NH₂, BuS, dodecylthio, Me₂CHS, cyclohexylthio, CH₂:CHCH₂O].

IT **58995-75-8P**
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. of)

RN 58995-75-8 CAPLUS

CN Benzoic acid, 4-(1H-indol-2-yl)- (9CI) (CA INDEX NAME)



=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

44.29

184.78

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-6.20

-6.20

STN INTERNATIONAL LOGOFF AT 16:27:02 ON 24 APR 2002